Glossary

Data Analytics



Terms and definitions from Course 4

A

A/B testing: The process of testing two variations of the same web page to determine which page is more successful at attracting user traffic and generating revenue

Accuracy: The degree to which data conforms to the actual entity being measured or described

B

C

CASE: A SQL statement that returns records that meet conditions by including an if/then statement in a query

CAST: A SQL function that converts data from one datatype to another

Changelog: A file containing a chronologically ordered list of modifications made to a project

Clean data: Data that is complete, correct, and relevant to the problem being solved

COALESCE: A SQL function that returns non-null values in a list

Compatibility: How well two or more datasets are able to work together

Completeness: The degree to which data contains all desired components or measures

CONCAT: A SQL function that adds strings together to create new text strings that can be used as unique keys

CONCATENATE: A spreadsheet function that joins together two or more text strings

Conditional formatting: A spreadsheet tool that changes how cells appear when values meet specific conditions

Confidence interval: A range of values that conveys how likely a statistical estimate reflects the population

Confidence level: The probability that a sample size accurately reflects the greater population

Consistency: The degree to which data is repeatable from different points of entry or collection

COUNTA: A spreadsheet function that counts the total number of values within a specified range

COUNTIF: A spreadsheet function that returns the number of cells in a range that match a specified value

Cross-field validation: A process that ensures certain conditions for multiple data fields are satisfied



Data constraints: The criteria that determine whether a piece of a data is clean and valid

Data engineer: A professional who transforms data into a useful format for analysis and gives it a reliable infrastructure

Data ethics: Well-founded standards of right and wrong that dictate how data is collected, shared, and used

Data governance: A process for ensuring the formal management of a company's data assets

Data integrity: The accuracy, completeness, consistency, and trustworthiness of data throughout its life cycle

Data manipulation: The process of changing data to make it more organized and easier to read

Data mapping: The process of matching fields from one data source to another

Data merging: The process of combining two or more datasets into a single dataset

Data range: Numerical values that fall between predefined maximum and minimum values

Data replication: The process of storing data in multiple locations

Data transfer: The process of copying data from a storage device to computer memory or from one computer to another

Data validation: A tool for checking the accuracy and quality of data

Data warehousing specialist: A professional who develops processes and procedures to effectively store and organize data

DATEDIF: A spreadsheet function that calculates the number of days, months, or years between two dates

Delimiter: A character that indicates the beginning or end of a data item

Dirty data: Data that is incomplete, incorrect, or irrelevant to the problem to be solved

DISTINCT: A keyword that is added to a SQL SELECT statement to retrieve only non-duplicate entries

Duplicate data: Any record that inadvertently shares data with another record



Estimated response rate: The average number of people who typically complete a survey



Field length: A tool for determining how many characters can be keyed into a spreadsheet field **Find and replace:** A tool that finds a specified search term and replaces it with something else

Float: A number that contains a decimal





Hypothesis testing: A process to determine if a survey or experiment has meaningful results

Incomplete data: Data that is missing important fields

Inconsistent data: Data that uses different formats to represent the same thing

Incorrect/inaccurate data: Data that is complete but inaccurate

J

K

LEFT: A function that returns a set number of characters from the left side of a text string

LEN: A function that returns the length of a text string by counting the number of characters it contains

Length: The number of characters in a text string

M

Mandatory: A data value that cannot be left blank or empty

Margin of error: The maximum amount that the sample results are expected to differ from those of the actual population

Merger: An agreement that unites two organizations into a single new one

MID: A function that returns a segment from the middle of a text string

N

Null: An indication that a value does not exist in a dataset



Outdated data: Any data that has been superseded by newer and more accurate information

P

Q

R

Random sampling: A way of selecting a sample from a population so that every possible type of the sample has an equal chance of being chosen

Regular expression (RegEx): A rule that says the values in a table must match a prescribed pattern

Remove duplicates: A spreadsheet tool that automatically searches for and eliminates duplicate entries from a spreadsheet

RIGHT: A function that returns a set number of characters from the right side of a text string

S

Soft skills: Nontechnical traits and behaviors that relate to how people work

Split: A spreadsheet function that divides text around a specified character and puts each fragment into a new, separate cell

Statistical power: The probability that a test of significance will recognize an effect that is present

Statistical significance: The probability that sample results are not due to random chance

SUBSTR: A SQL function that extracts a substring from a string variable

Substring: A subset of a text string

Syntax: The predetermined structure of a language that includes all required words, symbols, and punctuation, as well as their proper placement

T

Text string: A group of characters within a cell, most often composed of letters

Transferable skills: Skills and qualities that can transfer from one job or industry to another

TRIM: A function that removes leading, trailing, and repeated spaces in data

Typecasting: Converting data from one type to another



Unique: A value that can't have a duplicate



Validity: The degree to which data conforms to constraints when it is input, collected, or created

Verification: A process to confirm that a data-cleaning effort was well executed and the resulting data is accurate and reliable

VLOOKUP: A spreadsheet function that vertically searches for a certain value in a column to return a corresponding piece of information







Z